


# Service part catalogue

## SelfCooking Center® Linie SelfCooking Center 101E

validity: 10/2008




## Overview



## Overview

| Pos. | Module                        | Page |
|------|-------------------------------|------|
| 1    | Control panel .....           | 4    |
| 2    | Electrical installation ..... | 6    |
| 3    | ClimaPlus .....               | 10   |
| 4    | Steam generator .....         | 12   |
| 5    | Hot air heating .....         | 18   |
| 6    | Motor and fan wheel .....     | 20   |
| 7    | Interior cabinet .....        | 22   |
| 8    | Door .....                    | 26   |
| 9    | Exterior cabinet .....        | 30   |
| 10   | Water .....                   | 34   |
| 11   | CleanJet + Care .....         | 38   |
| 13   | Miscellaneous .....           | 40   |


## Control panel



## Control panel

| Pos. | Part No.  | Description                             | Qty. |
|------|-----------|-----------------------------------------|------|
| 1    | 87.00.000 | Control panel insert with overlay       | 1    |
| 2    | 42.00.002 | Control pcb                             | 1    |
| 3    | 10.00.916 | Hex nut M4 w. locking                   | 6    |
| 4    | 10.00.355 | Spacer black                            | 6    |
| 5    | 2020.0400 | Fixing device for cable harness         | 1    |
| 6    | 16.00.232 | Dial f. pulse generator blue            | 1    |
| 7    | 40.00.404 | Pulse generator                         | 1    |
| 9    | 40.02.087 | Buzzer                                  | 1    |
| 10   | 1104.0121 | Hex nut M4 self locking                 | 1    |
| 11   | 5110.1029 | Gasket mode switch                      | 1    |
| 14   | 16.00.387 | Mounting device f.sealing + sealing lip | 1    |


## Electrical installation



## Electrical installation

| Pos. | Part No.  | Description                              | Qty. |
|------|-----------|------------------------------------------|------|
| 1    | 10.00.709 | Hex nut M6 w. locking                    | 2    |
| 2    | 10.00.239 | EJOT PT-Screw Torx 4x10                  | 5    |
| 3    | 40.01.589 | Solid state relais                       | 1    |
| 4    | 40.01.589 | Solid state relais                       | 1    |
| 11   | 10.00.507 | Pan head screw Torx 5/16" T20            | 6    |
| 12   | 10.00.706 | Oval head cap screw T20 M4x10            | 4    |
| 16   | 42.00.065 | Relay-I/O pcb                            | 1    |
| 17   | 40.00.417 | Fixing clip f. pcb                       | 1    |
| 18   | 1104.0801 | Cage nut M4                              | 1    |
| 19   | 10.00.243 | Spacer M4x8                              | 1    |
| 20   | 1104.0120 | Hex nut M4                               | 1    |
| 22   | 40.00.471 | Bus cable 0.8m                           | 1    |
| 22   | 40.00.471 | Bus cable 0.8m                           | 1    |
| 25   | 10.00.112 | Cable clip short                         | 4    |
| 28   | 10.00.111 | Cable clip long                          | 5    |
| 28   | 10.00.111 | Cable clip long                          | 1    |
| 29   | 10.00.112 | Cable clip short                         | 2    |
| 31   | 10.00.471 | Cable clip d10-12mm                      | 3    |
| 32   | 10.00.471 | Cable clip d10-12mm                      | 3    |
| 42   | 40.01.086 | Fixing device f. cable guide             | 1    |
| 43   | 1106.0160 | Hex nut M6                               | 1    |
| 44   | 1206.0120 | Tooth lock washer A6,4                   | 1    |
| 49   | 2020.0400 | Fixing device for cable harness          | 1    |
| 57   | 8801.0136 | Power supply cable 5x4mm <sup>2</sup> 3m | 1    |
| 58   | 1105.0121 | Hex combination nut M5 galv              | 2    |
| 59   | 40.00.306 | Cable entry                              | 1    |
| A    |           | Electrical installation                  | 1    |


## Electrical installation



## Electrical installation

| Pos. | Part No.  | Description                                   | Qty. |
|------|-----------|-----------------------------------------------|------|
| 1    | 40.02.927 | Cable control harness                         | 1    |
| 2    | 10.00.111 | Cable clip long                               | 4    |
| 3    | 40.01.329 | Dry up protector 183°                         | 1    |
| 4    | 3014.0302 | Hex nut M10 for dry-up protector              | 1    |
| 5    | 40.01.482 | Safety temperature limiter 365°C              | 1    |
| 6    | 3014.0327 | Hex nut M10x1,0                               | 1    |
| 7    | 40.02.915 | Contactor 3RT1023-1AP80-0KR0-ZW97             | 1    |
| 8    | 40.02.599 | Auxiliary contact RH1921-1DA11                | 1    |
| 10   | 3101.1008 | Cooling fan                                   | 1    |
| 11   | 10.00.238 | Screw Torx 4x50                               | 2    |
| 13   | 40.00.277 | Control transformer                           | 1    |
| 14   | 10.00.239 | EJOT PT-Screw Torx 4x10                       | 1    |
| 15   | 40.02.424 | Electronic noise filter                       | 1    |
| 16   | 1108.0800 | Cage nut M8                                   | 1    |
| 17   | 10.00.464 | Tooth lock washer A20                         | 1    |
| 21   | 40.02.512 | Fuse holder 2x6.3A                            | 1    |
| 26   | 10.00.240 | Screw Torx 3x20                               | 2    |
| 39   | 4001.1210 | Earth terminal 16mm <sup>2</sup> yellow/green | 1    |
| 40   | 4001.1250 | Terminal block 16mm <sup>2</sup> blue         | 1    |
| 41   | 4001.1202 | Terminal block 16mm <sup>2</sup> grey         | 1    |
| 48   | 4007.0620 | Membrane DGC 29                               | 2    |
| 53   | 40.02.427 | Installation rail for Contactor               | 1    |
| 54   | 10.00.239 | EJOT PT-Screw Torx 4x10                       | 2    |

## ClimaPlus



---

## ClimaPlus


| Pos. | Part No.  | Description                                   | Qty. |
|------|-----------|-----------------------------------------------|------|
| 1    | 22.00.563 | Mounting device f. pressure sensor            | 1    |
| 2    | 3017.1011 | Pressure sensor for humidity control Huba 401 | 1    |
| 3    | 10.00.239 | EJOT PT-Screw Torx 4x10                       | 1    |
| 4    | 22.00.517 | Inner humidity meas. Piece                    | 1    |
| 5    | 22.00.200 | Outer humidity meas. Piece                    | 1    |
| 6    | 22.00.198 | Gasket f. hum. meas. Pipe                     | 2    |
| 7    | 1104.0122 | Hex combination nut M4 galv                   | 6    |
| 8    | 22.00.576 | Humidity control cpl. with motor              | 1    |
| 9    | 3101.1010 | Humidity control motor                        | 1    |
| 10   | 3016.0102 | Micro switch                                  | 1    |
| 11   | 22.00.525 | Hose set f. humidity control                  | 1    |
| 12   | 22.00.564 | Gasket f. ventilation                         | 1    |
| 13   | 2066.0504 | Hose clamp 40-60mm                            | 1    |

[illegible]

## Steam generator

| Pos. | Part No.  | Description                                      | Qty. |
|------|-----------|--------------------------------------------------|------|
| 1    | 1106.0803 | Hex combination nut M6 galv                      | 1    |
| 2    | 10.00.709 | Hex nut M6 w. locking                            | 3    |
| 12   | 44.00.194 | Heating element                                  | 1    |
| 13   | 44.00.534 | Heating element w/o pipe                         | 1    |
| 15   | 44.00.280 | Gasket f. heating element+Level elektrode insert | 2    |
| 16   | 10.00.709 | Hex nut M6 w. locking                            | 10   |
| 17   | 2066.0519 | Hose clamp 35,6mm                                | 1    |
| 18   | 2066.0526 | Hose clamp ø46mm                                 | 1    |
| 19   | 44.00.207 | Emptying pump                                    | 1    |
| 20   | 1006.0762 | Hex screw M6x10                                  | 2    |
| 21   | 1306.0222 | Washer A6,4x15x1,5                               | 2    |
| 22   | 44.00.232 | Fixing device f. pump steam generator            | 1    |
| 23   | 10.00.709 | Hex nut M6 w. locking                            | 2    |
| 24   | 44.00.241 | Drain hose steam generator                       | 1    |
| 25   | 2066.0518 | Hose clamp 30mm                                  | 2    |
| 26   | 40.00.291 | Thermocouple steam generator                     | 1    |
| 28   | 10.00.414 | Cable strap black 120°                           | 1    |
| 29   | 1104.0122 | Hex combination nut M4 galv                      | 1    |
| 30   | 2112.1006 | Steam hose 50x7mm                                | 1    |
| 31   | 2066.0504 | Hose clamp 40-60mm                               | 2    |
| 34   | 2066.0205 | Hose clamp 8-16x9 mm SW 7mm                      | 1    |
| 35   | 1105.0120 | Hex nut M5                                       | 1    |
| 36   | 1205.0120 | Tooth lock washer A5,3                           | 1    |
| A    | 8354.1320 | Pump connection spout cpl.                       | 1    |
| B    | 44.00.171 | Steam generator insulated                        | 1    |


## Pump connection spout



## Pump connection spout

| Pos. | Part No.  | Description                  | Qty. |
|------|-----------|------------------------------|------|
| 1    | 2118.1000 | Pump connection spout        | 1    |
| 2    | 2120.1259 | Stop plug 10mm               | 1    |
| 3    | 2110.1008 | Silicon hose ø10x2mm         | 1    |
| 4    | 2066.0527 | Hose clamp ø14mm             | 2    |
| 5    | 2066.0530 | Hose clamp ø16.4mm           | 1    |
| 6    | 2062.0331 | Junction pressure hose GS 10 | 1    |
| 7    | 4005.0101 | Tie rap 145 mm               | 1    |

## Steam generator, insulated




---

## Steam generator, insulated

| Pos. | Part No.  | Description                                      | Qty. |
|------|-----------|--------------------------------------------------|------|
| 1    | 44.00.280 | Gasket f. heating element+Level elektrode insert | 1    |
| 2    | 2920.1300 | Level elektrode insert                           | 1    |
| 6    | 3002.0402 | Filling level electrode 90 mm                    | 1    |
| 7    | 10.00.709 | Hex nut M6 w. locking                            | 4    |


## Hot air heating



## Hot air heating

| Pos. | Part No.  | Description                       | Qty. |
|------|-----------|-----------------------------------|------|
| 1    | 40.00.305 | Mating flange f. heating assembly | 1    |
| 3    | 40.00.265 | Heating assembly                  | 1    |
| 5    | 10.00.109 | Hex screw M5x23                   | 6    |
| 6    | 10.00.745 | Cap nut M6*A2                     | 1    |
| 7    | 40.00.332 | Gasket f. heating assembly        | 1    |
| 9    | 1107.0103 | Star lock ø3                      | 2    |


## Motor and fan wheel



## Motor and fan wheel

| Pos. | Part No.  | Description                           | Qty. |
|------|-----------|---------------------------------------|------|
| 1    | 40.00.274 | Fan motor                             | 1    |
| 3    | 10.00.710 | Hex nut M8 w. locking                 | 4    |
| 5    | 2120.1306 | Spacer SW19x17                        | 4    |
| 6    | 1008.1005 | Square necked mushroom head bolt 8x40 | 4    |
| 7    | 22.00.123 | Flange f. motor shaft gasket          | 1    |
| 8    | 22.00.120 | Mounting support f. gasket flange     | 1    |
| 9    | 22.00.083 | Motor shaft gasket                    | 1    |
| 10   | 1315.0101 | Copper washer 6x10                    | 4    |
| 11   | 1306.0120 | Washer A6,4                           | 4    |
| 12   | 1106.0220 | Hex nut M6 flat                       | 4    |
| 13   | 22.00.188 | Fan wheel d340x110                    | 1    |
| 14   | 10.00.565 | Hex screw M8x20                       | 1    |
| 15   | 1308.0162 | Washer A8,4                           | 1    |
| 16   | 40.00.310 | Exhaust pipe below                    | 1    |
| 17   | 40.00.435 | Exhaust channel f. SSR                | 1    |
| 18   | 10.00.989 | Rivet with screw                      | 2    |
| 18   | 1105.0121 | Hex combination nut M5 galv           | 2    |
| 19   | 10.00.706 | Oval head cap screw T20 M4x10         | 2    |


## Interior cabinet



## Interior cabinet

| Pos. | Part No.  | Description                      | Qty. |
|------|-----------|----------------------------------|------|
| 1    | 2120.1277 | Base for sensor connection       | 1    |
| 2    | 40.00.290 | Thermocouple humidity            | 1    |
| 3    | 40.00.098 | Reflector f. interior light      | 1    |
| 4    | 10.00.041 | Rivet nut M5 hexagon closed      | 4    |
| 5    | 1330.0100 | Clamp strap f. sensor            | 1    |
| 6    | 1106.0224 | Hex nut M6 self locking          | 1    |
| 7    | 1306.0120 | Washer A6,4                      | 1    |
| 8    | 1104.0120 | Hex nut M4                       | 1    |
| 9    | 1204.0120 | Tooth lock washer A4,3           | 1    |
| 10   | 1006.0760 | Hex screw M6x16                  | 1    |
| 11   | 40.00.211 | Wiring interior light            | 1    |
| 12   | 20.00.396 | Door gasket                      | 1    |
| 13   | 40.01.604 | Meat probe sensor SCC 101        | 1    |
| 14   | 10.00.612 | Hex nut M16 flat                 | 1    |
| 15   | 1315.0104 | Copper washer 16x20x1,5          | 1    |
| 17   | 40.01.317 | Screen core temperature sensor   | 1    |
| 18   | 10.00.745 | Cap nut M6*A2                    | 2    |
| 21   | 40.00.395 | Thermocouple interior cabinet    | 1    |
| 22   | 40.02.136 | Screen interior cabinet sensor   | 1    |
| 23   | 10.00.745 | Cap nut M6*A2                    | 1    |
| 24   | 20.00.998 | Outlet sieve Ø70                 | 1    |
| 25   | 40.00.091 | Gasket frame w. glass a. gaskets | 1    |
| 26   | 3024.0201 | Halogen bulb 300°C               | 1    |
| 28   | 50.00.844 | Nozzle f. moistening             | 1    |
| 29   | 50.00.846 | Union nut M12x13.2 N             | 1    |
| A    | 22.00.381 | Air baffle                       | 1    |

## Air baffle



---

## Air baffle


| Pos. | Part No.  | Description                  | Qty. |
|------|-----------|------------------------------|------|
| 1    | 10.00.515 | Rivet 3,2x5 A4               | 1    |
| 2    | 40.01.289 | Fixing clip core temp. cable | 1    |
| 3    | 10.00.744 | Washer A4,3 *A4              | 1    |
| 4    | 1604.0167 | Rivet 4x10                   | 1    |
| 6    | 2760.1370 | Latch hook for air baffle    | 1    |
| 7    | 22.00.361 | Deep-draw f. air baffle      | 1    |

This diagram illustrates the exploded view of a door assembly. The central component is a rectangular door panel (21) with a recessed rectangular frame (20). To the left, a handle (1) is shown with its mounting bracket (2). Above the door, a hinge assembly (11) is shown with its mounting plate (12), hinge pin (10), and hinge pin (19). To the right, a latch assembly (22) is shown with its mounting plate (25), latch bolt (23), and latch bolt (24). Below the door, a hinge assembly (16) is shown with its mounting plate (13), hinge pin (14), and hinge pin (15). The door panel (21) is also shown with its mounting plate (17) and hinge pin (18). The diagram includes 28 numbered callouts pointing to various components and their assembly points.

## Door

| Pos. | Part No.  | Description                   | Qty. |
|------|-----------|-------------------------------|------|
| 1    | 24.00.152 | Door handle                   | 1    |
| 2    | 24.00.176 | Door lock                     | 1    |
| 8    | 24.00.504 | Lock cover                    | 1    |
| 10   | 24.00.133 | Door mounting support top     | 1    |
| 11   | 1008.0768 | Ornamental screw M8x16        | 3    |
| 12   | 1308.0160 | Washer A8,4                   | 3    |
| 13   | 24.00.223 | Door mounting support bottom  | 1    |
| 14   | 1006.1962 | Countersunk screw Torx M6x16  | 2    |
| 15   | 10.00.090 | Cap f. Torx T30               | 2    |
| 16   | 24.00.137 | Door bolt                     | 1    |
| 17   | 10.00.099 | Hex screw M8x12               | 1    |
| 18   | 1308.0160 | Washer A8,4                   | 1    |
| 19   | 24.00.048 | Door bolt                     | 1    |
| 20   | 1008.0769 | Ornamental screw M8x30        | 1    |
| 21   | 1308.0160 | Washer A8,4                   | 1    |
| 22   | 2001.0109 | Compression spring            | 1    |
| 23   | 24.00.141 | Holding bracket f. door catch | 1    |
| 24   | 1006.0760 | Hex screw M6x16               | 2    |
| 25   | 1306.0120 | Washer A6,4                   | 2    |
| 27   | 24.00.142 | Door catch                    | 1    |
| 28   | 1005.2000 | Interlocking tooth screw M5x8 | 1    |
| 28   | 1005.2000 | Interlocking tooth screw M5x8 | 1    |
| A    | 24.00.093 | Door                          | 1    |

## Door




---

## Door

| Pos. | Part No.  | Description                         | Qty. |
|------|-----------|-------------------------------------|------|
| 1    | 24.00.164 | Inner glass pane                    | 1    |
| 2    | 24.00.147 | Sleeve for door bolt top            | 1    |
| 3    | 24.00.146 | Door setting bolt                   | 1    |
| 4    | 24.00.502 | Fixing device f. magnet with magnet | 1    |
| 5    | 24.01.188 | Drain door drip collector           | 1    |
| 6    | 24.01.800 | Door drip collector                 | 1    |
| 9    | 24.00.171 | Silicone buffer 7mm                 | 1    |


## Exterior cabinet



## Exterior cabinet

| Pos. | Part No.  | Description                            | Qty. |
|------|-----------|----------------------------------------|------|
| 1    | 1104.0820 | Snap nut 4,2mm                         | 2    |
| 4    | 12.00.205 | Upper part of pedestal                 | 4    |
| 5    | 12.00.206 | Lower part of pedestal                 | 4    |
| 7    | 1328.0102 | Safety washer A10,2                    | 4    |
| 8    | 10.00.975 | Hex screw M10x35                       | 4    |
| 9    | 12.00.516 | Turning lock f. lower part of pedestal | 4    |
| 10   | 10.00.745 | Cap nut M6*A2                          | 1    |
| 11   | 1206.0120 | Tooth lock washer A6,4                 | 1    |
| 13   | 1005.2100 | Interlocking tooth screw M5x16         | 1    |
| 14   | 22.00.354 | Spacer ring                            | 1    |
| 15   | 22.00.353 | Vent cover                             | 1    |
| 16   | 16.01.327 | Opening mechanism for panel insert     | 1    |
| 23   | 1106.0802 | Cage nut M6                            | 4    |
| A    |           | Exterior cabinet                       | 1    |


## Exterior cabinet



## Exterior cabinet

| Pos. | Part No.  | Description                           | Qty. |
|------|-----------|---------------------------------------|------|
| 1    | 16.00.163 | Top cover                             | 1    |
| 2    | 1003.2265 | Countersunk self tapping screw 4,2x16 | 9    |
| 3    | 1104.0820 | Snap nut 4,2mm                        | 9    |
| 5    | 16.00.127 | Side panel right                      | 1    |
| 6    | 1603.0166 | Rivet 3,2x7,9 CNS closed              | 4    |
| 7    | 16.00.128 | Side panel left                       | 1    |
| 8    | 10.00.102 | Hex self tapping screw B4,2x32        | 2    |
| 9    | 1104.0820 | Snap nut 4,2mm                        | 2    |
| 10   | 16.00.137 | Back panel                            | 1    |
| 11   | 16.00.290 | Front panel                           | 1    |
| 12   | 16.00.673 | Air inlet filter                      | 1    |
| 13   | 10.00.103 | EJOT PT-screw KA 3.5x10               | 1    |
| 14   | 1104.0820 | Snap nut 4,2mm                        | 1    |
| 17   | 16.01.488 | Crossbar below                        | 1    |
| 18   | 1004.2160 | Hex self tapping screw 4,2x16         | 2    |
| 19   | 1107.0100 | Star lock ø4                          | 5    |
| 20   | 50.00.751 | Tulip for handshower with tape        | 1    |
| 21   | 16.00.180 | Crossbar top                          | 1    |
| 22   | 1603.0166 | Rivet 3,2x7,9 CNS closed              | 4    |
| 24   | 16.01.433 | Gasket f. breather tube d=53mm        | 1    |
| 28   | 16.00.329 | Cover f. USB interface                | 1    |
| 29   | 10.00.103 | EJOT PT-screw KA 3.5x10               | 1    |
| 30   | 40.00.469 | Interface cable USB 0.9m              | 1    |
| 31   | 10.00.460 | EJOT PT-Screw Torx 3,5x14             | 2    |
| 32   | 50.00.286 | Drip collector                        | 1    |
| 34   | 50.01.191 | Drain pipe                            | 1    |
| 35   | 50.00.296 | Clip f. drip collector                | 3    |
| 36   | 40.00.335 | Door switch                           | 1    |
| 37   | 16.01.146 | Bracket for door contact switch       | 1    |


## Water



## Water

| Pos. | Part No.  | Description                                 | Qty. |
|------|-----------|---------------------------------------------|------|
| 1    | 2022.0101 | Grommet d8mm                                | 1    |
| 2    | 54.00.222 | Exhaust pipe                                | 1    |
| 4    | 54.00.086 | Rubber form piece venting pipe              | 1    |
| 5    | 2066.0504 | Hose clamp 40-60mm                          | 2    |
| 7    | 40.00.287 | Thermocouple quenching                      | 1    |
| 8    | 50.01.050 | Triple solenoid valve                       | 1    |
| 9    | 50.00.071 | Water distribution hor. w/o roll guide con. | 1    |
| 10   | 2067.0050 | Pressure hose d10mm                         | .85  |
| 11   | 2067.0050 | Pressure hose d10mm                         | 1.9  |
| 12   | 50.00.934 | Water volume sensor                         | 1    |
| 17   | 50.01.146 | Single solenoid valve                       | 1    |
| 18   | 50.00.070 | Water distribution hor roll guide con.      | 1    |
| 19   | 2067.0119 | Pressure hose ø10mm 635mm long              | 1    |
| 20   | 50.00.078 | Non return valve DW16/DN12                  | 2    |
| 21   | 10.00.810 | Hose clamp Cobra 16/8                       | 3    |
| 22   | 2067.0050 | Pressure hose d10mm                         | .64  |
| 23   | 1900.0202 | Water filter                                | 2    |
| 25   | 50.00.086 | Locking plate f. water distribution         | 1    |
| 26   | 1900.0202 | Water filter                                | 1    |
| 27   | 10.00.873 | Hose clamp CLIC d=15.5mm                    | 2    |
| 28   | 8664.1301 | T-fitting water connection                  | 1    |
| 29   | 54.00.357 | Ball valve drain SCC cpl.                   | 1    |
| 31   | 10.00.449 | Pan head screw M6x16                        | 2    |
| 32   | 10.00.249 | Plastic cable clamp D4.5                    | 1    |
| 33   | 1104.0120 | Hex nut M4                                  | 1    |
| 34   | 10.00.511 | O-ring for ball valve drain 46x3.5          | 1    |
| 35   | 10.00.512 | O-ring for ball valve drain 26x3.5          | 1    |
| 36   | 54.00.780 | Inspection lid with quenching nozzle        | 1    |
| 37   | 54.00.805 | Gasket f. inspection lid quenching          | 1    |
| 38   | 54.00.225 | Clamping bar                                | 1    |
| 39   | 1008.0750 | Hex screw M5x16                             | 1    |
| 40   | 50.00.140 | Hand shower roll guide                      | 1    |
| 41   | 50.00.172 | Connect. pipe f. hand shower roll guide     | 1    |
| 41   | 50.01.173 | Connect. pipe f. hand shower roll guide     | 1    |
| 42   | 50.00.085 | Plug-in spring f. hand shower roll guide    | 1    |
| 43   | 50.00.130 | Hand shower                                 | 1    |

## Water



## SelfCooking Center 101E


validity: 10/2008



### Water

| Pos. | Part No.  | Description                       | Qty. |
|------|-----------|-----------------------------------|------|
| 44   | 50.00.156 | Clamp f. hand shower roll guide   | 1    |
| 54   | 10.00.745 | Cap nut M6*A2                     | 1    |
| 55   | 8354.1304 | Venting valve for steam generator | 1    |


## CleanJet + Care



## CleanJet + Care

| Pos. | Part No.  | Description                     | Qty. |
|------|-----------|---------------------------------|------|
| 1    | 56.00.153 | Pump f. cleaning UP30           | 1    |
| 2    | 12.00.319 | Housing f. Cleaning pump        | 1    |
| 4    | 56.00.166 | Pressure hose f. cleaning       | 1    |
| 5    | 2066.0518 | Hose clamp 30mm                 | 1    |
| 6    | 2066.0521 | Hose clamp 27mm                 | 1    |
| 7    | 56.00.188 | Suction hose f. cleaning        | 1    |
| 8    | 2066.0518 | Hose clamp 30mm                 | 2    |
| 9    | 56.00.160 | Pipe f. Cleaning                | 1    |
| 10   | 56.00.435 | Frame for drawer CareControl    | 1    |
| 11   | 1107.0100 | Star lock ø4                    | 4    |
| 12   | 10.00.980 | EJOT PT-Screw K30x10            | 4    |
| 13   | 56.00.488 | Drawer Care container           | 1    |
| 14   | 56.00.492 | Care container table unit       | 1    |
| 15   | 56.00.462 | Bushing care container/pump     | 1    |
| 16   | 2066.0506 | Hose clamp 20-32mm              | 1    |
| 17   | 87.00.352 | Pump f. CareControl DPS 35      | 1    |
| 18   | 56.00.534 | Care hose 1                     | 1    |
| 19   | 2066.0518 | Hose clamp 30mm                 | 1    |
| 20   | 2067.0156 | Pressure hose ø10mm, 440mm long | 1    |
| 21   | 2066.0202 | Hose clamp 12-22 mm             | 1    |
| 22   | 56.00.380 | Cover for pump                  | 1    |
| 23   | 1005.2100 | Interlocking tooth screw M5x16  | 2    |
| 24   | 2066.0506 | Hose clamp 20-32mm              | 1    |
| 25   | 56.00.477 | Care hose 2                     | 1    |
| 26   | 10.00.605 | Hose clamp ø25.3                | 2    |
| 27   | 2067.0165 | Pressure hose ø10mm, 860mm      | 1    |

## Miscellaneous



---

## Miscellaneous

| Pos. | Part No.  | Description                        | Qty. |
|------|-----------|------------------------------------|------|
| 1    | 60.11.023 | Hinging rack left                  | 1    |
| 2    | 60.11.024 | Hinging rack right                 | 1    |
| 3    | 60.71.022 | Positioning support f. core sensor | 1    |
| 4    | 10.00.399 | Sticker set                        | 1    |

## Index

| Part-no.  | Description                                   | Page           |
|-----------|-----------------------------------------------|----------------|
| 22.00.381 | Air baffle .....                              | 23             |
| 16.00.673 | Air inlet filter .....                        | 33             |
| 40.02.599 | Auxiliary contact RH1921-1DA11 .....          | 9              |
| 16.00.137 | Back panel .....                              | 33             |
| 54.00.357 | Ball valve drain SCC cpl. ....                | 35             |
| 2120.1277 | Base for sensor connection .....              | 23             |
| 16.01.146 | Bracket for door contact switch .....         | 33             |
| 40.00.471 | Bus cable 0.8m .....                          | 7              |
| 56.00.462 | Bushing care container/pump .....             | 39             |
| 40.02.087 | Buzzer .....                                  | 5              |
| 10.00.471 | Cable clip d10-12mm .....                     | 7              |
| 10.00.111 | Cable clip long .....                         | 7, 9           |
| 10.00.112 | Cable clip short .....                        | 7              |
| 40.02.927 | Cable control harness .....                   | 9              |
| 40.00.306 | Cable entry .....                             | 7              |
| 10.00.414 | Cable strap black 120° .....                  | 13             |
| 1104.0801 | Cage nut M4 .....                             | 7              |
| 1106.0802 | Cage nut M6 .....                             | 31             |
| 1108.0800 | Cage nut M8 .....                             | 9              |
| 10.00.090 | Cap f. Torx T30 .....                         | 27             |
| 10.00.745 | Cap nut M6*A2 .....                           | 19, 23, 31, 37 |
| 56.00.492 | Care container table unit .....               | 39             |
| 56.00.534 | Care hose 1 .....                             | 39             |
| 56.00.477 | Care hose 2 .....                             | 39             |
| 50.00.156 | Clamp f. hand shower roll guide .....         | 37             |
| 1330.0100 | Clamp strap f. sensor .....                   | 23             |
| 54.00.225 | Clamping bar .....                            | 35             |
| 50.00.296 | Clip f. drip collector .....                  | 33             |
| 2001.0109 | Compression spring .....                      | 27             |
| 50.00.172 | Connect. pipe f. hand shower roll guide ..... | 35             |
| 50.01.173 | Connect. pipe f. hand shower roll guide ..... | 35             |
| 40.02.915 | Contactor 3RT1023-1AP80-0KR0-ZW97 .....       | 9              |

## Index

| Part-no.  | Description                                 | Page |
|-----------|---------------------------------------------|------|
| 87.00.000 | Control panel insert with overlay .....     | 5    |
| 42.00.002 | Control pcb .....                           | 5    |
| 40.00.277 | Control transformer .....                   | 9    |
| 3101.1008 | Cooling fan .....                           | 9    |
| 1315.0101 | Copper washer 6x10 .....                    | 21   |
| 1315.0104 | Copper washer 16x20x1,5 .....               | 23   |
| 1006.1962 | Countersunk screw Torx M6x16 .....          | 27   |
| 1003.2265 | Countersunk self tapping screw 4,2x16 ..... | 33   |
| 16.00.329 | Cover f. USB interface .....                | 33   |
| 56.00.380 | Cover for pump .....                        | 39   |
| 16.01.488 | Crossbar below .....                        | 33   |
| 16.00.180 | Crossbar top .....                          | 33   |
| 22.00.361 | Deep-draw f. air baffle .....               | 25   |
| 16.00.232 | Dial f. pulse generator blue .....          | 5    |
| 24.00.093 | Door .....                                  | 27   |
| 24.00.137 | Door bolt .....                             | 27   |
| 24.00.048 | Door bolt .....                             | 27   |
| 24.00.142 | Door catch .....                            | 27   |
| 24.01.800 | Door drip collector .....                   | 29   |
| 20.00.396 | Door gasket .....                           | 23   |
| 24.00.152 | Door handle .....                           | 27   |
| 24.00.176 | Door lock .....                             | 27   |
| 24.00.223 | Door mounting support bottom .....          | 27   |
| 24.00.133 | Door mounting support top .....             | 27   |
| 24.00.146 | Door setting bolt .....                     | 29   |
| 40.00.335 | Door switch .....                           | 33   |
| 24.01.188 | Drain door drip collector .....             | 29   |
| 44.00.241 | Drain hose steam generator .....            | 13   |
| 50.01.191 | Drain pipe .....                            | 33   |
| 56.00.488 | Drawer Care container .....                 | 39   |
| 50.00.286 | Drip collector .....                        | 33   |
| 40.01.329 | Dry up protector 183° .....                 | 9    |

## Index

| Part-no.  | Description                                            | Page     |
|-----------|--------------------------------------------------------|----------|
| 4001.1210 | Earth terminal 16mm <sup>2</sup> yellow/green .....    | 9        |
| 10.00.980 | EJOT PT-Screw K30x10 .....                             | 39       |
| 10.00.103 | EJOT PT-screw KA 3.5x10 .....                          | 33       |
| 10.00.460 | EJOT PT-Screw Torx 3,5x14 .....                        | 33       |
| 10.00.239 | EJOT PT-Screw Torx 4x10 .....                          | 7, 9, 11 |
| 40.02.424 | Electronic noise filter .....                          | 9        |
| 44.00.207 | Emptying pump .....                                    | 13       |
| 40.00.435 | Exhaust channel f. SSR .....                           | 21       |
| 54.00.222 | Exhaust pipe .....                                     | 35       |
| 40.00.310 | Exhaust pipe below .....                               | 21       |
| 40.00.274 | Fan motor .....                                        | 21       |
| 22.00.188 | Fan wheel d340x110 .....                               | 21       |
| 3002.0402 | Filling level electrode 90 mm .....                    | 17       |
| 40.01.289 | Fixing clip core temp. cable .....                     | 25       |
| 40.00.417 | Fixing clip f. pcb .....                               | 7        |
| 40.01.086 | Fixing device f. cable guide .....                     | 7        |
| 24.00.502 | Fixing device f. magnet with magnet .....              | 29       |
| 44.00.232 | Fixing device f. pump steam generator .....            | 13       |
| 2020.0400 | Fixing device for cable harness .....                  | 5, 7     |
| 22.00.123 | Flange f. motor shaft gasket .....                     | 21       |
| 56.00.435 | Frame for drawer CareControl .....                     | 39       |
| 16.00.290 | Front panel .....                                      | 33       |
| 40.02.512 | Fuse holder 2x6.3A .....                               | 9        |
| 16.01.433 | Gasket f. breather tube d=53mm .....                   | 33       |
| 40.00.332 | Gasket f. heating assembly .....                       | 19       |
| 44.00.280 | Gasket f. heating element+Level elektrode insert ..... | 13, 17   |
| 22.00.198 | Gasket f. hum. meas. Pipe .....                        | 11       |
| 54.00.805 | Gasket f. inspection lid quenching .....               | 35       |
| 22.00.564 | Gasket f. ventilation .....                            | 11       |
| 40.00.091 | Gasket frame w. glass a. gaskets .....                 | 23       |
| 5110.1029 | Gasket mode switch .....                               | 5        |
| 2022.0101 | Grommet d8mm .....                                     | 35       |

## Index

| Part-no.  | Description                            | Page      |
|-----------|----------------------------------------|-----------|
| 3024.0201 | Halogen bulb 300°C .....               | 23        |
| 50.00.130 | Hand shower .....                      | 35        |
| 50.00.140 | Hand shower roll guide .....           | 35        |
| 40.00.265 | Heating assembly .....                 | 19        |
| 44.00.194 | Heating element .....                  | 13        |
| 44.00.534 | Heating element w/o pipe .....         | 13        |
| 1104.0122 | Hex combination nut M4 galv .....      | 11, 13    |
| 1105.0121 | Hex combination nut M5 galv .....      | 7, 21     |
| 1106.0803 | Hex combination nut M6 galv .....      | 13        |
| 1104.0120 | Hex nut M4 .....                       | 7, 23, 35 |
| 1104.0121 | Hex nut M4 self locking .....          | 5         |
| 10.00.916 | Hex nut M4 w. locking .....            | 5         |
| 1105.0120 | Hex nut M5 .....                       | 13        |
| 1106.0160 | Hex nut M6 .....                       | 7         |
| 1106.0220 | Hex nut M6 flat .....                  | 21        |
| 1106.0224 | Hex nut M6 self locking .....          | 23        |
| 10.00.709 | Hex nut M6 w. locking .....            | 7, 13, 17 |
| 10.00.710 | Hex nut M8 w. locking .....            | 21        |
| 3014.0302 | Hex nut M10 for dry-up protector ..... | 9         |
| 3014.0327 | Hex nut M10x1,0 .....                  | 9         |
| 10.00.612 | Hex nut M16 flat .....                 | 23        |
| 1008.0750 | Hex screw M5x16 .....                  | 35        |
| 10.00.109 | Hex screw M5x23 .....                  | 19        |
| 1006.0762 | Hex screw M6x10 .....                  | 13        |
| 1006.0760 | Hex screw M6x16 .....                  | 23, 27    |
| 10.00.099 | Hex screw M8x12 .....                  | 27        |
| 10.00.565 | Hex screw M8x20 .....                  | 21        |
| 10.00.975 | Hex screw M10x35 .....                 | 31        |
| 1004.2160 | Hex self tapping screw 4,2x16 .....    | 33        |
| 10.00.102 | Hex self tapping screw B4,2x32 .....   | 33        |
| 60.11.023 | Hinging rack left .....                | 41        |
| 60.11.024 | Hinging rack right .....               | 41        |

## Index

| Part-no.  | Description                                | Page       |
|-----------|--------------------------------------------|------------|
| 24.00.141 | Holding bracket f. door catch .....        | 27         |
| 2066.0205 | Hose clamp 8-16x9 mm SW 7mm .....          | 13         |
| 2066.0202 | Hose clamp 12-22 mm .....                  | 39         |
| 2066.0506 | Hose clamp 20-32mm .....                   | 39         |
| 2066.0521 | Hose clamp 27mm .....                      | 39         |
| 2066.0518 | Hose clamp 30mm .....                      | 13, 39     |
| 2066.0519 | Hose clamp 35,6mm .....                    | 13         |
| 2066.0504 | Hose clamp 40-60mm .....                   | 11, 13, 35 |
| 10.00.873 | Hose clamp CLIC d=15.5mm .....             | 35         |
| 10.00.810 | Hose clamp Cobra 16/8 .....                | 35         |
| 2066.0527 | Hose clamp ø14mm .....                     | 15         |
| 2066.0530 | Hose clamp ø16.4mm .....                   | 15         |
| 10.00.605 | Hose clamp ø25.3 .....                     | 39         |
| 2066.0526 | Hose clamp ø46mm .....                     | 13         |
| 22.00.525 | Hose set f. humidity control .....         | 11         |
| 12.00.319 | Housing f. Cleaning pump .....             | 39         |
| 22.00.576 | Humidity control cpl. with motor .....     | 11         |
| 3101.1010 | Humidity control motor .....               | 11         |
| 24.00.164 | Inner glass pane .....                     | 29         |
| 22.00.517 | Inner humidity meas. Piece .....           | 11         |
| 54.00.780 | Inspection lid with quenching nozzle ..... | 35         |
| 40.02.427 | Installation rail for Contactor .....      | 9          |
| 40.00.469 | Interface cable USB 0.9m .....             | 33         |
| 1005.2000 | Interlocking tooth screw M5x8 .....        | 27         |
| 1005.2100 | Interlocking tooth screw M5x16 .....       | 31, 39     |
| 2062.0331 | Junction pressure hose GS 10 .....         | 15         |
| 2760.1370 | Latch hook for air baffle .....            | 25         |
| 2920.1300 | Level elektrode insert .....               | 17         |
| 24.00.504 | Lock cover .....                           | 27         |
| 50.00.086 | Locking plate f. water distribution .....  | 35         |
| 12.00.206 | Lower part of pedestal .....               | 31         |
| 40.00.305 | Mating flange f. heating assembly .....    | 19         |

## Index

| Part-no.  | Description                                         | Page  |
|-----------|-----------------------------------------------------|-------|
| 40.01.604 | Meat probe sensor SCC 101 .....                     | 23    |
| 4007.0620 | Membrane DGC 29 .....                               | 9     |
| 3016.0102 | Micro switch .....                                  | 11    |
| 22.00.083 | Motor shaft gasket .....                            | 21    |
| 22.00.563 | Mounting device f. pressure sensor .....            | 11    |
| 16.00.387 | Mounting device f.sealing + sealing lip .....       | 5     |
| 22.00.120 | Mounting support f. gasket flange .....             | 21    |
| 50.00.078 | Non return valve DW16/DN12 .....                    | 35    |
| 50.00.844 | Nozzle f. moistening .....                          | 23    |
| 10.00.512 | O-ring for ball valve drain 26x3.5 .....            | 35    |
| 10.00.511 | O-ring for ball valve drain 46x3.5 .....            | 35    |
| 16.01.327 | Opening mechanism for panel insert .....            | 31    |
| 1008.0768 | Ornamental screw M8x16 .....                        | 27    |
| 1008.0769 | Ornamental screw M8x30 .....                        | 27    |
| 22.00.200 | Outer humidity meas. Piece .....                    | 11    |
| 20.00.998 | Outlet sieve Ø70 .....                              | 23    |
| 10.00.706 | Oval head cap screw T20 M4x10 .....                 | 7, 21 |
| 10.00.449 | Pan head screw M6x16 .....                          | 35    |
| 10.00.507 | Pan head screw Torx 5/16" T20 .....                 | 7     |
| 56.00.160 | Pipe f. Cleaning .....                              | 39    |
| 10.00.249 | Plastic cable clamp D4.5 .....                      | 35    |
| 50.00.085 | Plug-in spring f. hand shower roll guide .....      | 35    |
| 60.71.022 | Positioning support f. core sensor .....            | 41    |
| 8801.0136 | Power supply cable 5x4mm <sup>2</sup> 3m .....      | 7     |
| 2067.0050 | Pressure hose d10mm .....                           | 35    |
| 56.00.166 | Pressure hose f. cleaning .....                     | 39    |
| 2067.0119 | Pressure hose ø10mm 635mm long .....                | 35    |
| 2067.0156 | Pressure hose ø10mm, 440mm long .....               | 39    |
| 2067.0165 | Pressure hose ø10mm, 860mm .....                    | 39    |
| 3017.1011 | Pressure sensor for humidity control Huba 401 ..... | 11    |
| 40.00.404 | Pulse generator .....                               | 5     |
| 2118.1000 | Pump connection spout .....                         | 15    |

## Index

| Part-no.  | Description                                | Page   |
|-----------|--------------------------------------------|--------|
| 8354.1320 | Pump connection spout cpl. ....            | 13     |
| 87.00.352 | Pump f. CareControl DPS 35 ....            | 39     |
| 56.00.153 | Pump f. cleaning UP30 ....                 | 39     |
| 40.00.098 | Reflector f. interior light ....           | 23     |
| 42.00.065 | Relay-I/O pcb ....                         | 7      |
| 10.00.515 | Rivet 3,2x5 A4 ....                        | 25     |
| 1603.0166 | Rivet 3,2x7,9 CNS closed ....              | 33     |
| 1604.0167 | Rivet 4x10 ....                            | 25     |
| 10.00.041 | Rivet nut M5 hexagon closed ....           | 23     |
| 10.00.989 | Rivet with screw ....                      | 21     |
| 54.00.086 | Rubber form piece venting pipe ....        | 35     |
| 40.01.482 | Safety temperature limiter 365°C ....      | 9      |
| 1328.0102 | Safety washer A10,2 ....                   | 31     |
| 40.01.317 | Screen core temperature sensor ....        | 23     |
| 40.02.136 | Screen interior cabinet sensor ....        | 23     |
| 10.00.240 | Screw Torx 3x20 ....                       | 9      |
| 10.00.238 | Screw Torx 4x50 ....                       | 9      |
| 16.00.128 | Side panel left ....                       | 33     |
| 16.00.127 | Side panel right ....                      | 33     |
| 2110.1008 | Silicon hose ø10x2mm ....                  | 15     |
| 24.00.171 | Silicone buffer 7mm ....                   | 29     |
| 50.01.146 | Single solenoid valve ....                 | 35     |
| 24.00.147 | Sleeve for door bolt top ....              | 29     |
| 1104.0820 | Snap nut 4,2mm ....                        | 31, 33 |
| 40.01.589 | Solid state relais ....                    | 7      |
| 10.00.355 | Spacer black ....                          | 5      |
| 10.00.243 | Spacer M4x8 ....                           | 7      |
| 22.00.354 | Spacer ring ....                           | 31     |
| 2120.1306 | Spacer SW19x17 ....                        | 21     |
| 1008.1005 | Square necked mushroom head bolt 8x40 .... | 21     |
| 1107.0103 | Star lock ø3 ....                          | 19     |
| 1107.0100 | Star lock ø4 ....                          | 33, 39 |

## Index

| Part-no.  | Description                                      | Page       |
|-----------|--------------------------------------------------|------------|
| 44.00.171 | Steam generator insulated .....                  | 13         |
| 2112.1006 | Steam hose 50x7mm .....                          | 13         |
| 10.00.399 | Sticker set .....                                | 41         |
| 2120.1259 | Stop plug 10mm .....                             | 15         |
| 56.00.188 | Suction hose f. cleaning .....                   | 39         |
| 8664.1301 | T-fitting water connection .....                 | 35         |
| 4001.1250 | Terminal block 16mm <sup>2</sup> blue .....      | 9          |
| 4001.1202 | Terminal block 16mm <sup>2</sup> grey .....      | 9          |
| 40.00.290 | Thermocouple humidity .....                      | 23         |
| 40.00.395 | Thermocouple interior cabinet .....              | 23         |
| 40.00.287 | Thermocouple quenching .....                     | 35         |
| 40.00.291 | Thermocouple steam generator .....               | 13         |
| 4005.0101 | Tie rap 145 mm .....                             | 15         |
| 1204.0120 | Tooth lock washer A4,3 .....                     | 23         |
| 1205.0120 | Tooth lock washer A5,3 .....                     | 13         |
| 1206.0120 | Tooth lock washer A6,4 .....                     | 7, 31      |
| 10.00.464 | Tooth lock washer A20 .....                      | 9          |
| 16.00.163 | Top cover .....                                  | 33         |
| 50.01.050 | Triple solenoid valve .....                      | 35         |
| 50.00.751 | Tulip for handshower with tape .....             | 33         |
| 12.00.516 | Turning lock f. lower part of pedestal .....     | 31         |
| 50.00.846 | Union nut M12x13.2 N .....                       | 23         |
| 12.00.205 | Upper part of pedestal .....                     | 31         |
| 22.00.353 | Vent cover .....                                 | 31         |
| 8354.1304 | Venting valve for steam generator .....          | 37         |
| 10.00.744 | Washer A4,3 *A4 .....                            | 25         |
| 1306.0120 | Washer A6,4 .....                                | 21, 23, 27 |
| 1306.0222 | Washer A6,4x15x1,5 .....                         | 13         |
| 1308.0162 | Washer A8,4 .....                                | 21         |
| 1308.0160 | Washer A8,4 .....                                | 27         |
| 50.00.070 | Water distribution hor roll guide con. ....      | 35         |
| 50.00.071 | Water distribution hor. w/o roll guide con. .... | 35         |

---

## Index

| Part-no.  | Description                 | Page |
|-----------|-----------------------------|------|
| 1900.0202 | Water filter .....          | 35   |
| 50.00.934 | Water volume sensor .....   | 35   |
| 40.00.211 | Wiring interior light ..... | 23   |



